2 3 4 5 1 2 3 1 2

1 2

3

4

5

1

2

3

1

2

3

1

WHAT IS CLAIMED IS:

1	1.	A nanoparticle processed textile and polymer system, said nanoparticle
2	processed textile and polymer system comprising:	
3	a texti	le material having an embedded nanoparticle.

- 2. The nanoparticle processed textile and polymer system of claim 1, wherein said textile material is a member selected from the group consisting of fabric, yarn and fiber.
- 3. The nanoparticle processed textile and polymer system of claim 1, wherein said textile material is a member selected from the group consisting of cellulose, cotton, linin, hemp, jute, ramie, wool, mohair, vicuna, silk, rayon, lyocell, acetate, triacetate, azlon, acrylic, aramid, nylon, olefin, polyester, spandex, vinyon, vinal, graphite, metallic textiles, ceramic textiles and mixtures thereof.
- 4. The nanoparticle processed textile and polymer system of claim 2, wherein said textile material is a fabric selected from the group consisting of cellulosic, cellulosic-synthetic blend, and synthetic material.
- 5. The nanoparticle processed textile and polymer system of claim 4, wherein said textile material is cellulosic.
- 6. The nanoparticle processed textile and polymer system of claim 5, wherein said cellulosic material is fabricated into a member selected from the group consisting of a diaper, napkin, a table cloth, a bandage, a gauze, an underpant, a medical garment, a surgeon's gown, a cap, a mask, a surgical cover, a patient drape, a carpeting, a bedding material, an underwear, a sock, and a uniform.
- 7. The nanoparticle processed textile and polymer system of claim 4, wherein said textile material is a synthetic polymer selected from the group consisting of PET, acrylic and nylon.
- 1 8. The nanoparticle processed textile and polymer system of claim 1, 2 wherein the size of said nanoparticle is about 10⁻⁹m to about 10⁻⁷m.

The nanoparticle processed textile and polymer system of claim 1,

The nanoparticle processed textile and polymer system of claim 9,

wherein said nanoparticle is selected from the group consisting of an organic nanoparticle

1

2

1

2

3

1

2

nanoparticle.

18.

nanoparticle is a carbon-black nanoparticle.

9.

and an inorganic nanoparticle.

10.

nanoparticle is selected from the group consisting of an organic nanoparticle and an inorganic

The nanoparticle formulation for textiles of claim 16, wherein said

The nanoparticle formulation for textiles of claim 16, wherein said

dispersant is selected from an anionic surfactant, a cationic surfactant, a nonionic surfactant,

1

2

3

1

2

3

nanoparticle.

26.

19.

and a zwitterionic surfactant.

of claim 24, wherein the free volume of said polymer matrix is greater in diameter than said

The method for making a nanoparticle processed polymer composition

3

1	27. The method for making a nanoparticle processed polymer composition	
2	of claim 24, wherein said polymer matrix is heated to above its glass transition temperature	
3	prior to facilitate the diffusion of said nanoparticle.	
1	28. The method for making a nanoparticle processed polymer composition	
2	of claim 24, wherein said polymer matrix is a member selected from the group consisting of	
3	polyester, polyamide, polyethylene, polypropylene, polystyrene, polyvinylchloride	
4	polyamideimide, polyethersulfone, polyarylsulfone, polyetherimide, polyarylate, polysulfone,	
5	polycarbonate, polystyrene, polyetherketone, polyetheretherketone, polytetrafluoroethylene,	
6	nylon-6,6, nylon-6,12, nylon-11, nylon-12, acetal resin, and aramid.	
1	29. The method for making a nanoparticle processed polymer composition	
1	of claim 28, wherein said polymer matrix is selected from the group consisting of PET and	
2		
. 3	acrylics.	
1	30. A method for dyeing a textile having a polymeric matrix, said method	
2	comprising:	
3	diffusing a colored nanoparticle into a textile having a polymer matrix to form	
4	an embedded colored nanoparticle in said textile having said polymer matrix, thereby dyeing	
5	said textile.	
	The state of the s	
1	31. The method for dyeing a textile having a polymeric matrix of claim 30,	
2	wherein said colored nanoparticle diffuses at the glass-transition temperature of said polymer	
3	matrix.	
1	32. The method for dyeing a textile having a polymeric matrix of claim 30,	
2	wherein the free volume of said polymer matrix is greater in diameter than said colored	
3	nanoparticle.	
1	33. The method for dyeing a textile having a polymeric matrix of claim 30,	
2	wherein said polymer matrix is heated to above its glass transition temperature prior to	
3	facilitate the diffusion of said colored nanoparticle.	
1	34. The method for dyeing a textile having a polymeric matrix of claim 30,	
2	wherein said polymer matrix is a member selected from the group consisting of polyester,	
_	, man and both man comment and a second seco	

polyamide, polyethylene, polypropylene, polystyrene, polyvinylchloride polyamideimide,

- 4 polyethersulfone, polyarylsulfone, polyetherimide, polyarylate, polysulfone, polycarbonate,
- 5 polystyrene, polyetherketone, polyetheretherketone, polytetrafluoroethylene, nylon-6,6,
- 6 nylon-6,12, nylon-11, nylon-12, acetal resin, and aramid.